# BlueNet BN PRO Software Release Notes







# **Open Source License Notification**

The computer programs made available for download contain modified components and programs of third parties that are licensed as free software. You may reproduce, distribute and/or modify them and/or also reproduce and distribute the modifications in accordance with the terms of the applicable open source licenses listed in the following table. The table lists the original or modified third-party programs used and the corresponding open source license. The respective texts of the license conditions and all copyright notices are deposited and can be called up by the links provided below:

GPL 3.0: <a href="https://www.gnu.org/licenses/gpl-3.0.txt">https://www.gnu.org/licenses/gpl-3.0.txt</a> LGPL 3.0: <a href="https://www.gnu.org/licenses/lgpl-3.0.txt">https://www.gnu.org/licenses/lgpl-3.0.txt</a>

GPL 2.0: <a href="https://www.gnu.org/licenses/old-licenses/gpl-2.0.txt">https://www.gnu.org/licenses/old-licenses/gpl-2.0.txt</a> LGPL 2.0: <a href="https://www.gnu.org/licenses/old-licenses/lgpl-2.0.txt">https://www.gnu.org/licenses/old-licenses/lgpl-2.0.txt</a> LGPL 2.1: <a href="https://www.gnu.org/licenses/old-licenses/lgpl-2.1.txt">https://www.gnu.org/licenses/old-licenses/lgpl-2.0.txt</a>

The granting of the rights of use to the computer programs is free of charge.

Bachmann GmbH, Ernsthaldenstraße 33, 70565 Stuttgart, Germany, hereby offers to provide you and any third party with a machine-readable copy of the source code of the software supplied to you on a medium which is usually used for the exchange of data for a period of at least 3 years for a small fee which does not exceed the pure cost of physical accessibility. For this purpose, please write to the above address.

We are obliged to inform you of the following disclaimer of warranty and liability in the context of the use of free software:

- 1. since the respective program is licensed without any costs, there is no guarantee for the program, as far as this is legally permissible. Unless otherwise confirmed in writing, the copyright holders and/or third parties make the program available "as is" without warranty of any kind, either express or implied, including, but not limited to, merchantability or fitness for a particular purpose. The full risk regarding the quality and performance of the program rests with you. If the respective program turns out to be faulty, the costs for necessary service, repair or correction are with you.
- 2. In no event, unless required by applicable law or warranted in writing, will any copyright holder or any third party who has modified or distributed the Program as permitted above be liable to you for any damages, including any general, special, incidental or consequential damages, that result from the use of the Program or the inability to use the Program (including, but not limited to, loss of data, processing errors, losses that must be borne by you or others, or the inability of the Program to cooperate with any other Program), even if a copyright holder or third party has been advised of the possibility of such damages.

Further information can be found at: <a href="https://www.bachmann.com/en/downloads/bluenet-pdus/">https://www.bachmann.com/en/downloads/bluenet-pdus/</a>

BACHMANN 15.08.2025 Page 1 of 4





# Release Note V1.3.1

15.08.2025

# Supported BlueNet devices:

BN PRO Metered, BN PRO SecureSwitching+; BN Gen2 PDUs (all models)

#### Information:

This SW release is completely validated to cover the existing functionality of the former release V1.2.4 and can be installed as an update to all former BlueNet BN Gen2 / BN PRO software releases. It is recommended to create a backup before performing the update.

#### **New Features:**

- PDU cluster functionality via CLI and web
- MCB current measurements

#### **Enhancements:**

- Improved robustness of the web certificate
  - o fix of known bug in v1.2.4
- cli do reboot now requires a confirmation
- Adjust color of leds from orange to yellow
- Add sorting function for Event logs in web-frontend
- Network and DNS settings (IPv4, subnet prefix)
- Offline status for the external sensors after a FW-update
- GUI stability at startup

#### **Known Bugs:**

- RCM connection occasionally lost after update/restart
  - Workaround: Restart PDU

## Deliverables (to be downloaded from <a href="www.bachmann.com">www.bachmann.com</a>):

- BlueNet Gen2 BN3000 SW Update package
- SNMP MIBs
- Mounting and installation instructions
- this Release Note





# Release Note V1.2.4 / REV01

31.07.2025

## Supported BlueNet devices:

BN PRO Metered, BN3000 Gen2, BN3500 Gen2 SecureSwitching

## Information:

This SW release is completely validated to cover the existing functionality of the former release V1.1.1 and can be installed as an update to all former BlueNet Gen2 BN3000 SW releases. It is recommended to create a backup before performing the update.

#### **New Features:**

- Cronjob can be configured
- Network settings on web frontend with updated design
- External sensor added to SNMP and Modbus TCP
- Local gui: external sensor support
- Local gui: RCM and RCM selftest support

#### **Enhancements:**

- Bugfixes and improved performance
- · user access rights correction when using ssh keys
- Switch from timesyncd to chrony as ntp client (and server)
- Changed behavior when setting the time
- Users with appropriate rights can create trap receivers, not just the admin
- PDU Chassi downward compatible with controller
- Known bug v1.1.1 fixed

#### **Known Bugs:**

Mismatched SSL certificates and keys can result in a blocked PDU.

#### Deliverables (to be downloaded from www.bachmann.com):

- BlueNet Gen2 BN3000 SW Update package
- SNMP MIBs
- Mounting and installation instructions
- this Release Note





# Release Note V1.1.1

01.02.2025

## Supported BlueNet devices:

BN PRO Metered, BN3000 Gen2, BN3500 Gen2 SecureSwitching

#### Information:

This SW release is completely validated to cover the existing functionality of the former release V1.0.3 and can be installed as an update to all former BlueNet Gen2 BN3000 SW releases. It is recommended to create a backup before performing the update.

#### **New Features:**

- LDAP
- For 3-phase PDUs, the peak current of the phases can be reset from the Local GUI
- Support for external temperature sensor
- SD cards and USB sticks are mounted automatically
- SSH Keys over Web and CLI
- Signal chains no longer need to be activated manually

#### **Enhancements:**

Bugfixes and improved performance

# **Known Bugs:**

Settings are not saved (fixed after the second reboot)

## Deliverables (to be downloaded from www.bachmann.com):

- BlueNet Gen2 BN3000 SW Update package
- SNMP MIBs
- Mounting and installation instructions
- this Release Note